



Office of General Services

DESIGN & CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242

ADDENDUM NO. 1 TO PROJECT NO. 47291

CONSTRUCTION AND ELECTRICAL WORK PROVIDE CONGREGATE RECREATION PENS, SHU, BUILDING 10 MIDSTATE CORRECTIONAL FACILITY 9005 OLD RIVER ROAD MARCY, NY

October 25, 2024

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

ELECTRICAL WORK SPECIFICATIONS

1. Section 282306 - 17, Paragraph A: Change Paragraph to Read:
 - “A. Microphone: Edward Simon & Co.’s, Model M2C-WR (outdoor/weather resistant) microphone, having:
 1. Dual Channel Output.
 2. Weather resistant enclosure.
 3. High-output omnidirectional capsule.
 4. Immunity from RF.
 5. Transformer-balanced.
 6. 100 dB dynamic range.
 7. Powered by 12-48V DC or 12-36V AC RMS.
 8. 600 ohms output impedance.
 9. Aluminum case with stainless steel faceplate with integral windscreen.
 10. Duraloy iron cast box for exposed conduit system, size 2-7/8” wide by 4-5/8” length, deep as required.
 11. Utilize tamper-resistant hardware.”

2. Page 282320 – 6, Article 1.04, Paragraph I: Change Paragraph to Read:

“I. Shop Drawings (Submittals Package 2):

Note: The Shop Drawings Submittals shall be provided by the Contractor.

1. Composite wiring and/or schematic diagrams of the equipment to be installed (standard diagrams will not be acceptable).
2. Scale drawings of the Central Monitoring Console and EER rack layouts showing location and mounting of all system components for each phase of the work. Contractor is to obtain the dimensions of the equipment being provided by allowance for inclusion in the scale drawings of the rack layouts.”

END OF ADDENDUM

Brady Sherlock, P.E.
Director, Division of Design
Design & Construction