



Office of General Services

DESIGN & CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242

ADDENDUM NO. 1 TO PROJECT NO. 47714

CONSTRUCTION WORK REPLACE ROOF DOT REGION 7, ST. LAWRENCE COUNTY 2317 GREENE ST OGDENSBURG, NY

March 21, 2025

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

DRAWINGS

1. Drawing No. A-100:
 - a. GENERAL NOTES, Add the following note:

“F. Contractor to include in their bid the cost to remove and replace 20 fascia brackets and finish paint to match existing. Review replacements with Director’s Representative.”

2. Drawing No. A-102:
 - a. PHOTO H QUONSET HUT WALL CONNECTION, Add the following note to the man-door entrance depicted in the photograph:

“Contractor to remove and replace approximately 40 square feet of deteriorated stucco finish located below the roof fascia and above the former head of the masonry wall opening, Located above the gable roof of the entrance door. Stucco finish to match existing. See specification section 092400, Cement Plastering. Paint EAL-3.”

END OF ADDENDUM

Brady M. Sherlock, P.E.
Director, Division of Design
Design & Construction